Statement of Deficiencies	**(X1) Provider/Supplier/CLIA Identification Number**	**(X3) Date Survey Completed**
	034526	02/12/2020
Name of Provider or Supplier	**Street Address, City, State**	
Paragon Physical Therapy And Rehab, Llc	2585 Miracle Mile, Suite 107, Bullhead City, AZ	

For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.

(X4) ID Prefix Tag	**Summary Statement of Deficiencies** (Each deficiency should be preceded by full regulatory or LSC identifying information)
E0004	Develop EP Plan, Review and Update Annually CFR(s): 485.68(a) 403.748(a), 416.54(a), 418.113(a), 441.184(a), 460.84(a), 482.15(a), 483.73(a), 483.475(a), 484.102(a), 485.68(a), 485.542(a), 485.625(a), 485.727(a), 485.920(a), 486.360(a), 491.12(a), 494.62(a). The [facility] must comply with all applicable Federal, State and local emergency preparedness requirements. The [facility] must develop establish and maintain a comprehensive emergency preparedness program that meets the requirements of this section. The emergency preparedness program must include, but not be limited to, the following elements: (a) Emergency Plan. The [facility] must develop and maintain an emergency preparedness plan that must be [reviewed], and updated at least every 2 years. The plan must do all of the following: * [For hospitals at 482.15 and CAHs at 485.625(a):] Emergency Plan. The [hospital or CAH] must comply with all applicable Federal, State, and local emergency preparedness requirements. The [hospital or CAH] must develop and maintain a comprehensive emergency preparedness program that meets the requirements of this section, utilizing an all-hazards approach. * [For LTC Facilities at 483.73(a):] Emergency Plan. The LTC facility must develop and maintain an emergency preparedness plan that must be reviewed, and updated at least annually. * [For ESRD Facilities at 494.62(a):] Emergency Plan. The ESRD facility must develop and maintain an emergency preparedness plan that must be [evaluated], and updated at least every 2 years. . This STANDARD is not met as evidenced by: Based on review of facility documents, an interview with the facility administrator it was determined, the facility failed to ensure that this CORF had developed, documented and implemented an Emergency Plan that was reviewed and updated at least annually. Failure to have an established Emergency plan poses the potential risk that the health and safety of patients and staff will be compromised in the event an Emergency situation occurs if staff are not knowledgeable of what to do during an

	emergency situation. Findings include: Surveyor requested a copy of the facility Emergency Plan. Administrator stated in an interview on 2/12/2020, that she was unaware of new EP regulations for a CORF. The administrator confirmed during an exit conference on 2/12/2020, that the facility failed to develop an Emergency Preparedness Plan that is to be reviewed and updated annually.