Statement of Deficiencies	**(X1) Provider/Supplier/CLIA Identification Number**	**(X3) Date Survey Completed**
	054549	06/23/2022
Name of Provider or Supplier	**Street Address, City, State**	
Valley Corf Inc	18425 Burbank Blvd Suite 520, Tarzana, CA	

For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.

(X4) ID Prefix Tag	**Summary Statement of Deficiencies** (Each deficiency should be preceded by full regulatory or LSC identifying information)
E0029	Development of Communication Plan CFR(s): 485.68(c) 403.748(c), 416.54(c), 418.113(c), 441.184(c), 460.84(c), 482.15(c), 483.73(c), 483.475(c), 484.102(c), 485.68(c), 485.542(c), 485.625(c), 485.727(c), 485.920(c), 486.360(c), 491.12(c), 494.62(c). (c) The [facility] must develop and maintain an emergency preparedness communication plan that complies with Federal, State and local laws and must be reviewed and updated at least every 2 years [annually for LTC facilities]. This STANDARD is not met as evidenced by: Based on interview and record review, the facility failed to include a communication plan in their emergency preparedness policy and procedure. This deficient practice had the potential to prevent communication with local sources of assistance, the patients' physicians, and the patients' families in the event of an emergency, including but not limited to evacuation from the facility. Findings: A review of the facility's undated policy titled, "Disaster/Emergency Procedures," indicated procedures for severe weather, earthquake, biohazards chemical spills/fumes /vapors, and fire. The policy did not include a communication plan with local sources of assistance, patients' physicians, and patient's families in the event of an emergency. During an interview and review of the facility's Disaster/Emergency Procedures on 6/23/22, at 2:16 PM, the Administrator (ADM) stated the local emergency numbers were not included in the facility's policy but were posted at the reception desk. The

	ADM stated the policy did not include a communication plan during an emergency. The ADM stated communication was important to prevent panic and contact appropriate individuals, including patients' families, during an emergency.