Statement of Deficiencies	**(X1) Provider/Supplier/CLIA Identification Number**	**(X3) Date Survey Completed**
	883920	08/15/2022
Name of Provider or Supplier	**Street Address, City, State**	
Pediatric Place Of Union City, Llc	1345 Edwards Street, Union City, TN	

For information on the provider's plan to correct this deficiency, please contact the provider or the state survey agency.

(X4) ID Prefix Tag	**Summary Statement of Deficiencies** (Each deficiency should be preceded by full regulatory or LSC identifying information)
E0004	Develop EP Plan, Review and Update Annually 403.748(a), 416.54(a), 418.113(a), 441.184(a), 460.84(a), 482.15(a), 483.73(a), 483.475(a), 484.102(a), 485.68(a), 485.542(a), 485.625(a), 485.727(a), 485.920(a), 486.360(a), 491.12(a), 494.62(a). The [facility] must comply with all applicable Federal, State and local emergency preparedness requirements. The [facility] must develop establish and maintain a comprehensive emergency preparedness program that meets the requirements of this section. The emergency preparedness program must include, but not be limited to, the following elements: (a) Emergency Plan. The [facility] must develop and maintain an emergency preparedness plan that must be [reviewed], and updated at least every 2 years. The plan must do all of the following: * [For hospitals at 482.15 and CAHs at 485.625(a):] Emergency Plan. The [hospital or CAH] must comply with all applicable Federal, State, and local emergency preparedness requirements. The [hospital or CAH] must develop and maintain a comprehensive emergency preparedness program that meets the requirements of this section, utilizing an all-hazards approach. * [For LTC Facilities at 483.73(a):] Emergency Plan. The LTC facility must develop and maintain an emergency preparedness plan that must be reviewed, and updated at least annually. * [For ESRD Facilities at 494.62(a):] Emergency Plan. The ESRD facility must develop and maintain an emergency preparedness plan that must be [evaluated], and updated at least every 2 years. . This STANDARD is not met as evidenced by: Based on interview, the facility failed to develop and maintain and Emergency Preparedness (EP) plan to be reviewed and updated every 2 years. The findings included: During an interview on 8/15/19 at 10:15 AM, the Physican/owner verified the facility had not developed a comprehensive EP plan to be reviewed and updated biannually. He stated he did not have a copy of the SOM- Appendix Z.